

## **Section 508 Evaluation Template**

This Voluntary Product Accessibility Template (VPAT) provides guidance on the accessibility characteristics of **SkillSoft’s Welch Way solution as of August 2014**.

**Name of Product:** Welch Way

**Note:**

No further alterations of any kind are planned. This VPAT will apply, and the 508 Refresh VPAT format and standards will not apply, for all prior or future sales of this Legacy ICT. That is as provided by 508 Refresh standard E.202.2:

Legacy ICT. Any component or portion of existing ICT that complies with an earlier standard issued pursuant to Section 508 of the Rehabilitation Act of 1973, as amended (as republished in Appendix D), and that has not been altered on or after January 18, 2018, shall not be required to be modified to conform to the Revised 508 Standards.

<b>Section 1194.21 Software Applications and Operating Systems -- Detail VPAT™ Voluntary Product Accessibility Template®</b>		
<b>Criteria</b>	<b>Supporting Features</b>	<b>Remarks and explanations</b>
(a) When software is designed to run on a system that has a keyboard, product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.	Supports	The application is fully keyboard accessible.

*Skillsoft Voluntary Product Accessibility Template – Welch Way*

<p>(b) Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as accessibility features where the application programming interface for those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.</p>	<p>Supports</p>	<p>The application does not interfere with other assistive technologies.</p>
<p>(c) A well-defined on-screen indication of the current focus shall be provided that moves</p>	<p>Supports</p>	<p>Visual focus is well-defined and does move amongst interactive user interface components. Focus is available</p>

*Skillsoft Voluntary Product Accessibility Template – Welch Way*

<p>among interactive interface elements as the input focus changes. The focus shall be programmatically exposed so that Assistive Technology can track focus and focus changes.</p>		<p>programmatically to assistive technology.</p>
<p>(d) Sufficient information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a program element, the information conveyed by the image must also be available in text.</p>	<p>Supports</p>	<p>User interface elements are given appropriate role and state for assistive technologies.</p>
<p>(e) When bitmap images are used to identify controls, status indicators, or other programmatic elements, the meaning assigned to those images shall be consistent throughout an application's performance.</p>	<p>Supports</p>	<p>Images are consistent throughout the application's performance.</p>
<p>(f) Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.</p>	<p>Supports</p>	<p>Textual information is provided through operating system functions.</p>
<p>(g) Applications shall not override user selected contrast and color selections and other individual display attributes.</p>	<p>Supports</p>	<p>The application does not override the user's settings.</p>
<p>(h) When animation is displayed, the information shall be displayable in at least one non-animated presentation mode at the option of the user.</p>	<p>Supports</p>	<p>All instructional content that is presented in an animated format is also available in text form via the captions.</p>

*Skillsoft Voluntary Product Accessibility Template – Welch Way*

(i) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports	Color is not used as the sole means of conveying information.
(j) When a product permits a user to adjust color and contrast settings, a variety of color selections capable of producing a range of contrast levels shall be provided.	Supports with Exceptions	The application permits the user to adjust contrast settings only.
(k) Software shall not use flashing or blinking text, objects, or other elements having a flash or blink frequency greater than 2 Hz and lower than 55 Hz.	Supports	Does not use flashing or blinking text.
(l) When electronic forms are used, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	Supports	Forms are properly labeled for assistive technology users.

<p><b>Section 1194.22 Web-based Internet information and applications -- Detail</b>  <b>VPAT™</b>  <b>Voluntary Product Accessibility Template®</b></p>		
<b>Criteria</b>	<b>Supporting Features</b>	<b>Remarks and explanations</b>
	Supports	Some images do not have alternative text.

*Skillsoft Voluntary Product Accessibility Template – Welch Way*

<p>(a) A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).</p>	<p>with Exceptions</p>	<p>However, any instructional content delivered via an image is also available in text form via the captions.</p>
<p>(b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.</p>	<p>Supports</p>	<p>Multimedia presentations provide closed captioning synchronized with the presentation.</p>
<p>(c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.</p>	<p>Not Applicable</p>	<p>Color is not used as the sole means of conveying information.</p>
<p>(d) Documents shall be organized so they are readable without requiring an associated style sheet.</p>	<p>Supports</p>	<p>The content is readable without the use of style sheets.</p>
<p>(e) Redundant text links shall be provided for each active region of a server-side image map.</p>	<p>Not Applicable</p>	<p>Server-side image maps are not used.</p>
<p>(f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.</p>	<p>Not Applicable</p>	<p>Client-side image maps are not used.</p>
<p>(g) Row and column headers shall be identified for data tables.</p>	<p>Not applicable</p>	<p>Data tables are not used.</p>
<p>(h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.</p>	<p>Not Applicable</p>	<p>Tables of two or more logical levels are not used.</p>

*Skillsoft Voluntary Product Accessibility Template – Welch Way*

<p>(i) Frames shall be titled with text that facilitates frame identification and navigation</p>	<p>Not Applicable</p>	<p>Frames are not used.</p>
<p>(j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.</p>	<p>Supports</p>	<p>The application does not use flashing or blinking text.</p>
<p>(k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.</p>	<p>Not Applicable</p>	<p>A text-only page is not required.</p>
<p>(l) When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by Assistive Technology.</p>	<p>Supports</p>	<p>Client-side scripting is readable by assistive technology.</p>
<p>(m) When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).</p>	<p>Not Applicable</p>	<p>Applets and plug-ins are not required</p>
<p>(n) When electronic forms are designed to be completed on-line, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and</p>	<p>Not Applicable</p>	<p>Forms are not designed to be completed online.</p>

*Skillsoft Voluntary Product Accessibility Template – Welch Way*

submission of the form, including all directions and cues.		
(o) A method shall be provided that permits users to skip repetitive navigation links.	Not Applicable	Skip navigation links are not required.
(p) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Not Applicable	A timed response is not required.

**Note to 1194.22:** The Board interprets paragraphs (a) through (k) of this section as consistent with the following priority 1 Checkpoints of the Web Content Accessibility Guidelines 1.0 (WCAG 1.0) (May 5 1999) published by the Web Accessibility Initiative of the World Wide Web Consortium: Paragraph (a) - 1.1, (b) - 1.4, (c) - 2.1, (d) - 6.1, (e) - 1.2, (f) - 9.1, (g) - 5.1, (h) - 5.2, (i) - 12.1, (j) - 7.1, (k) - 11.4.

<b>Section 1194.24 Video and Multi-media Products – Detail</b> <b>VPAT™</b> <b>Voluntary Product Accessibility Template®</b>		
<b>Criteria</b>	<b>Supporting Features</b>	<b>Remarks and explanations</b>
(a) All analog television displays 13 inches and larger, and computer equipment that includes analog television receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals. As soon as practicable, but not later than July 1, 2002, widescreen digital television (DTV) displays measuring at least 7.8 inches vertically, DTV sets with conventional displays measuring at least 13 inches vertically, and	Not Applicable	Does not have analog television receiver or display circuitry.

*Skillsoft Voluntary Product Accessibility Template – Welch Way*

stand-alone DTV tuners, whether or not they are marketed with display screens, and computer equipment that includes DTV receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals.		
(b) Television tuners, including tuner cards for use in computers, shall be equipped with secondary audio program playback circuitry.	Not Applicable	Does not have tuner capabilities.
(c) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain speech or other audio information necessary for the comprehension of the content, shall be open or closed captioned.	Supports	The multimedia presentations are closed captioned.
(d) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain visual information necessary for the comprehension of the content, shall be audio described.	Supports	All instructional video-based content is additionally available via narration.
(e) Display or presentation of alternate text presentation or audio descriptions shall be user-selectable unless permanent.	Not Applicable	Alt text nor audio descriptions are required as all video-based instructional content is also available via narraton

**Section 1194.25 Self-Contained, Closed Products – Detail  
VPAT™  
Voluntary Product Accessibility Template®**

<b>Criteria</b>	<b>Supporting Features</b>	<b>Remarks and explanations</b>
-----------------	----------------------------	---------------------------------



*Skillsoft Voluntary Product Accessibility Template – Welch Way*

<p>(a) Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive Technology to the product. Personal headsets for private listening are not Assistive Technology.</p>	<p>Not Applicable</p>	<p>This product is not a self-contained, closed product</p>
<p>(b) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.</p>	<p>Not Applicable</p>	<p>A timed response is not required.</p>
<p>(c) Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).</p>	<p>Not Applicable</p>	<p>This product is not a self-contained, closed product</p>
<p>(d) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.</p>	<p>Not Applicable</p>	<p>This product is not a self-contained, closed product</p>
<p>(e) When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.</p>	<p>Not Applicable</p>	<p>This product is not a self-contained, closed product</p>
<p>(f) When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient</p>	<p>Not Applicable</p>	<p>This product is not a self-contained, closed product</p>

*Skillsoft Voluntary Product Accessibility Template – Welch Way*

<p>noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.</p>		
<p>(g) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.</p>	<p>Supports</p>	<p>Color is not used as the sole means of conveying information.</p>
<p>(h) When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.</p>	<p>Not Applicable</p>	<p>The application does not permit the user to change display settings.</p>
<p>(i) Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.</p>	<p>Supports</p>	<p>This product does not provide flashing or blinking text.</p>
<p>(j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.</p>	<p>Not Applicable</p>	<p>This product is not a self-contained, closed product</p>

*Skillsoft Voluntary Product Accessibility Template – Welch Way*

<p>(j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.</p>	<p>Not Applicable</p>	<p>This product is not a self-contained, closed product</p>
<p>(j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.</p>	<p>Not Applicable</p>	<p>This product is not a self-contained, closed product</p>
<p>(j)(4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane.</p>	<p>Not Applicable</p>	<p>This product is not a self-contained, closed product</p>

**Section 1194.31 Functional Performance Criteria – Detail  
VPAT™  
Voluntary Product Accessibility Template®**

<b>Criteria</b>	<b>Supporting Features</b>	<b>Remarks and explanations</b>
(a) At least one mode of	Supports	All instructional content that is presented

*Skillsoft Voluntary Product Accessibility Template – Welch Way*

<p>operation and information retrieval that does not require user vision shall be provided, or support for Assistive Technology used by people who are blind or visually impaired shall be provided.</p>		<p>visually can be provided via the use of assistive technologies or is available via the narrations.</p>
<p>(b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive Technology used by people who are visually impaired shall be provided.</p>	<p>Supports</p>	<p>As noted above, all instructional content that is presented visually can be provided via the use of assistive technologies or is available via the narrations.</p>
<p>(c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for Assistive Technology used by people who are deaf or hard of hearing shall be provided</p>	<p>Supports</p>	<p>Closed captioning is provided.</p>
<p>(d) Where audio information is important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.</p>	<p>Supports</p>	<p>Closed captioning is provided.</p>
<p>(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.</p>	<p>Not Applicable</p>	<p>Does not require user speech.</p>
<p>(f) At least one mode of operation</p>	<p>Supports</p>	<p>The application is navigable via the</p>

*Skillsoft Voluntary Product Accessibility Template – Welch Way*

<p>and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.</p>		<p>keyboard. Some buttons are not keyboard operable.</p>
---	--	--

<p><b>Section 1194.41 Information, Documentation and Support – Detail VPAT™ Voluntary Product Accessibility Template®</b></p>		
<p><b>Criteria</b></p>	<p><b>Supporting Features</b></p>	<p><b>Remarks and explanations</b></p>
<p>(a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge</p>	<p>Supports</p>	<p>Alternative forms of access to product support documentation in alternative formats are available upon request by contacting SkillSoft support.</p>
<p>(b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.</p>	<p>Supports</p>	<p>Alternative forms of access to descriptions of the accessibility and compatibility features in alternative formats are available upon request at no additional charge to the end user by contacting SkillSoft support.</p>
<p>(c) Support services for products shall accommodate the communication needs of end-users with disabilities.</p>	<p>Supports</p>	<p>Support via Telephone and E-mail.</p>